

## Epson EB-X27(V11H692041)

EB-X27,Projectors,Mobile/Nogaming,XGA,1024 x 768,4:3,2,700 lumen - 1,890 lumen (economy),10,000:1,USB 2.0 Type B,Component in (2x),Wireless LAN IEEE 802.11b/g/n (optional),RGB in (2x),VGA out,USB 2.0 Type A,Stereo mini jack audio in (2x),Composite in,RS-232C,S-Video in,VGA in (2x),Ethernet interface (100 Base-TX / 10 Base-T),Stereo mini jack audio out,HDMI in,2.6 kg,5 W,Carrying bag,Computer cable,Main unit,Power cable,Remote control incl. batteries,24 months Carry in,Lamp: 12 months or 1,000 h - Replaces EB-X20



This portable projector is ideal for use in meeting rooms, classrooms and home offices, the EB-X27 can display presentations with bright images and vibrant colors thanks to 3LCD technology. It also has a range of flexible installation options and connectivity features. The EB-X27 uses 3LCD technology and an equally high white and color light output to deliver exceptional image quality and accurate colors. A 10,000:1 contrast ratio produces clearer image detail. Epson understands that being in control is important when presenting in a corporate or education environment. The EB-X27 comes with multi-PC projection software, which allows content from up to four devices, including PCs, tablets and smartphones, to be displayed simultaneously. The moderator function allows the host, whether it is the teacher, lecturer or leader of the meeting, to take control of displayed content from the devices.

Set up is easy and flexible with horizontal and vertical keystone correction, helping you achieve a perfectly shaped image without distortion. This means projectors can be quickly moved and set up in different classrooms and meeting rooms. This projector has enhanced connectivity, giving choice and flexibility however you intend to present. The EB-X27 can connect to digital devices or legacy analog products, meaning older hardware doesn't necessarily need to be replaced. Connecting smart devices couldn't be easier with the iProjection QR code connectivity - simply scan a projected QR code using your smart device to connect and start working.

## Key Selling Points

- Small and light enough to be carried and used across several rooms
- High-quality, bright image
- Enhanced connectivity and networking
- Horizontal and vertical keystone correction and digital zoom for flexible placement

## Main Specifications

Product Description	Epson EB-X27 LCD projector
Device Type	LCD projector
Built-in Devices	Speaker
Brightness (White)	2700 lumens
Brightness (Colour)	2700 lumens
Contrast Ratio	10000:1 (dynamic)
Resolution	XGA (1024 x 768)
Native Aspect Ratio	4:3
Colour Support	1.07 billion colours
Bulb type	273 Watt
Bulb life cycle	Up to 5000 hour(s) / up to 10000 hour(s) (economic mode)
Video Input	RGB,S-Video,composite video LAN
Speakers	Speaker(s) - integrated
Power	AC 120/230 V (50 - 60 Hz)
Power Consumption Operational	273 Watt
Dimensions (WxDxH)	29.7 cm x 24.4 cm x 8.7 cm
Weight	2.6 kg
Manufacturer Warranty	3 years warranty

## Extended Specification

## General

Device Type	LCD projector
Built-in Devices	Speaker
Networking	Ethernet

## Projector

Brightness (White)	2700 lumens
Brightness (Colour)	2700 lumens
Brightness (Reduced)	1890 lumens
Contrast Ratio	10000:1 (dynamic)
Image Size	76 cm - 762 cm
Throw Ratio	1.48 - 1.77:1
Resolution	XGA - XGA (1024 x 768)
Native Aspect Ratio	4:3
Colour Support	1.07 billion colours
Bulb type	273 Watt
Bulb life cycle	Up to 5000 hour(s) / up to 10000 hour(s) (economic mode)
Features	sRGB colour profile,Blackboard Mode,Auto Vertical Keystone,EPSON 3LCD technology,Split Screen,Direct Power On,Direct Power Off,Dynamic Mode,Theater Mode

## Lens

Focus Type	Manual
Lens Aperture	F/1.58-1.72
Zoom Type	Manual
Zoom Factor	1.2x
Keystone Correction Direction	Horizontal,vertical
Vertical Keystone Correction	-30 / +30
Horizontal Keystone Correction	-30 / +30

## Video Input

Analogue video Signal	RGB,S-Video,composite video
Video Interfaces	VGA,HDMI,composite video,S-Video
LAN and Wireless Image Transferring Protocols	Wired LAN

## Speakers

Type	Integrated
Sound Output Mode	Mono
Output Power / Channel	5 Watt
Speakers	1 x mixed channel

## Expansion / Connectivity

Interfaces	2 x component video / RGB input - 15 pin HD D-Sub (HD-15)
	1 x HDMI input - 19 pin HDMI Type A
	1 x USB - 4 pin USB Type B
	1 x composite video input - RCA
	1 x S-video input - 4 pin mini-DIN
	1 x audio line-out - mini-phone stereo 3.5 mm
	1 x VGA output - 15 pin HD D-Sub (HD-15)
	2 x audio line-in - mini-phone stereo 3.5 mm
	1 x serial RS-232C
1 x network - RJ-45	

#### Miscellaneous

Included Accessories	Carrying case,remote control
Cables Included	1 x VGA cable
Security Features	Security lock slot (cable lock sold separately),password protection,Wireless LAN Lock

#### Power

Nominal Voltage	AC 120/230 V (50 - 60 Hz)
Power Consumption Operational	273 Watt
Power Consumption Stand by	0.26 Watt

#### Software / System Requirements

Software Included	EasyMP Network Projection,EasyMP Monitor,EasyMP Multi PC Projection
-------------------	---

#### Dimensions &Weight

Width	29.7 cm
Depth	24.4 cm
Height	8.7 cm
Weight	2.6 kg

#### Manufacturer Warranty

Service &Support	Limited warranty - 3 years - on-site Limited warranty - lamp - 1 year / 1000 hours
------------------	---

#### Environmental Parameters

Min Operating Temperature	5 °C
Max Operating Temperature	35 °C
Humidity Range Operating	20 - 80%
Sound Emission	37 dBA
Sound Emission (Economic Mode)	29 dBA

#### What's in the box

Epson EB-X27  
Carrying case,remote control  
VGA cable